


Envisioning a New Distributed Organization and Cyberinfrastructure to Enable Science



Stephen Abrams
Patricia Cruse
John Kunze

California
Digital Library



Outline of today's talk

- Complexities of global change
- Challenges for cyberinfrastructure and data intensive research
- A solution: DataONE
- An approach: curation micro-services



Scientific challenges and data needs

- Global change is a complex scientific and societal challenge
- Community needs good data
- Good data...
 - builds good science
 - makes possible wise management
 - enables sound decisions
- Good data needs…
 - solid technical infrastructure
 - sound organization
 - community engagement (you)








TERRORISM WHAT COMPANIES STILL NEED TO DO (9.25)


BEWARE OF THOSE HIGH 529 FEES @.90

BusinessWeek



Hydrothermal vents prompt methane release









GLOBAL WARMING

Climbing temperatures.
Melting glaciers. Rising seas.
All over the earth we're feeling the heat.
Why isn't Washington?



the crisis of global warming


AL GORE



How the Earth's Climate Is Changing Is C




The complexities of global change



Smith, Knapp, Collins. In press.




Critical areas in the Earth's system






Human impacts on land-based ecosystems






Human impacts on the world's oceans





Human population change



Outline of today's talk

- Complexities of global change
- Challenges for cyberinfrastructure and data intensive research
- DataONE: A solution
- An approach: curation micro-services



Data challenge 1: dispersed sources

("finding the needle in the haystack")

Data are massively dispersed

- Ecological field stations and research centers (100's)
- Natural history museums and biocollection facilities (100's)
- Agency data collections (100's to 1000's)
- Individual scientists (1000's to 10,000s to 100,000s)






Data challenge 2: diversity

"the flood of increasingly heterogeneous data"

- Data are heterogeneous
 - Syntax
 - (format)
 - Schema
 - (model)
 - Semantics
 - (meaning)




Jones et al. 2007



Data challenge 3: poor practice

"data entropy"





Data challenge 4: loss





Facilities infrastructure failure

Storage failure

Server hardware/software failure

Application software failure

External dependencies (e.g. PKI failure)

Format obsolescence

Legal encumbrance

Human error


Malicious attack by human or automated agents

Loss of staffing competencies

Loss of institutional commitment

Loss of financial stability

Changes in user expectations and requirements




CDL





Data challenge 4: more loss







Cumulative impact: data longevity

Study	Resource Type	Resource Half-life
Rumsey (2002)	Legal Citations	1.4 years
Harter and Kim (1996)	Scholarly Article Citations	1.5 years
Koehler (1999 and 2002)	Random Web Pages	2.0 years
Spinellis (2003)	Computer Science Citations	4.0 years
Markwell and Brooks (2002)	Biological Science Education Resources	4.6 years
Nelson and Allen (2002)	Digital Library Objects	24.5 years



Outline of today's talk

- Complexities of global change
- Challenges for cyberinfrastructure and data intensive research
- DataONE: a solution
 - Building on existing cyberinfrastructure
 - Creating new cyberinfrastructure
 - Changing science culture and institutions
- An approach: curation micro-services





Data Observation Network for Earth


- The goal of DataONE is to enable new science through universal access to data about life on earth by:
 - engaging the scientist in the data preservation process
 - supporting the full data life cycle,
 - encouraging data stewardship and sharing
 - promoting best practices
 - engaging citizens
- One of two DataNet awardees recommended for funding by NSF






Data types

- Biological (genes to biomes)
- Environmental
 - Atmospheric
 - Ecological
 - Hydrological
 - Oceanographic




















Data sources

- Research networks and environmental observatories
- Biological specimens
- Individual Scientists
- Citizen scientists' data
- Natural resources and conservation data
- Observational data
- Global and continental land cover/land change and biogeochemical data









ESA's **Ecological Archive**



Distributed Active Archive Center



National Biological Information Infrastructure



Fire Research & Management **Exchange System**

The US Long Term Ecological Research Network

Long Term Ecological **Research Network**

The Knowledge Network for Biocomplexity

Knowledge Network for Biocomplexity





Examples of data holdings

Metadata Interoperability Across Data Holdings

Data Archive	Types of Data Managed	Metadata Standard(s)
National Biological Information Infrastructure	Biodiversity, taxonomic, ecological	BDP, DwC, DC, OGIS
for biogeochemical dynamics MISTRIBUTED ACTIVE ACCURE CORDER Oak Ridge Rational Laboratory	Biogeochemical dynamics, terrestrial ecological Earth observation imagery	DIF, BDP, ECHO
The US Long Term Ecological Research Network	Ecological, biodiversity, biophysical, social, genomics, and taxonomic	EML
Avian Knowledge Network	Avian populations and molecular biology	DC
ALA ATLAS OF LIVING AUSTRALIA	Biological and taxonomic	DC subset
South African Environmental Observation Network	Biophysical, biodiversity, disturbance, and Earth observation imagery	EML
TAIWAN ECOLOGICAL RESEARCH NETWORK	Biodiversity, biotic structure, function/process, biogeochemical, climate, and hydrologic EML=Ecological Metadata Language	EML

BDP=Biological Data Profile

DC subset=Dublin Core subset

DwC=Darwin Core

OGIS=OpenGIS





Data The Providing one-stop shopping for data

Simple Pilot Catalog Interface

(searches entire metadata record)



40,000 Data Set Records

NBII Metadata Clearinghouse (31,864)

Long Term Ecological Research (LTER) Network (6,897)

ORNL Distributed Active Archive Center for **Biogeochemical Data** (810)

Large Scale Biosphere-Atmosphere Experiment in Amazonia (LBA) (783)

Organization of Biological Field Stations (124)

Inter-American Institute for Global Change Research (IAI) (79)


MODIS and ASTER Products (LPDAAC) (38)

National Phenology Network (USANPN) (29)






Existing cyberinfrastructure: tools



Data Building new global cyberinfrastructure








New distributed framework


Coordinating Nodes

- retain complete metadata catalog
- subset of all data
- perform basic indexing
- provide network-wide services
- ensure data availability (preservation)
- provide replication services





Data Building new global cyberinfrastructure







DataONE management and partners

William Michener, University of New Mexico

Suzie Allard – University of Tennessee

Bob Cook – Oak Ridge National Laboratory DAAC

Patricia Cruse – California Digital Library

Mike Frame – USGS, National Biological Info. Infrastructure

Matt Jones – University of California Santa Barbara

Steve Kelling – Cornell Lab of Ornithology

DataONE Partners plus Kepler-CORE and SEEK/KNB Teams


































We welcome your involvement!





Engaging citizens in science





National Phenology Network









Data Data Building global communities of practice and long-lived cyberinfrastructure

- Community engagement
 - Involve library and science educators
 - Engage new generations of students in best practices
 - Build on existing programs
- Involvement of cultural memory organizations brings centuries of preservation experience to datasets









Outline of today's talk

- Complexities of global change
- Challenges for cyberinfrastructure and data intensive research
- DataONE: A solution
- An approach: curation micro-services



Data curation is hard

- Data sets encompass everything, including "regular" object types
 - Documents, images, audio, video, etc.
- Data is like software, but even more specialized
- Tension between establishing standards and fostering innovation
- Heavy processing requires a tricky long-term migration/emulation of custom data/software
- Heavy provenance and snapshot coherence requirements
- Instability: value of some preserved data depends on ongoing change, in particular, on researcher annotation



Imagining the Non-Repository

What are micro-services?

- Unbundled alternative to monolithic systems with single archival "culture"; avoiding the deadly embrace
- Low barrier, low commitment tools
 - Leverage native operating system file handling tools




- Decoupled in design
- Recoupled in deployment
 - Late binding, e.g., Unix pipes
- Creates flexible systems, mix-andmatch depending on need



The wisdom of the web

- Resist urge to design user and programming interfaces without using the web's interfaces
 - The web is the *de facto* distributed filesystem (M. Nelson)
 - Make interactions web-browser-friendly
 - ... and RESTful to make them program-friendly
- "Wget" is the basic automated client, e.g., for known-item ingest and outgest
 - Very high speed obtained by multiple wget's in parallel







The wisdom of files

- After 30 years, we're really good at modern filesystems
 - Files and directories (folders) are fast, plentiful, stable, highly interoperable across platforms
 - They form an implicit standard for holding generic content
 - You can use native OS tools to create, list, change, & backup
- What's the least work to make an "objectsystem"?
 - Object system = File system plus minimal naming conventions



Pairtree: hierarchy-based collection

- Pairtree to hold a collection of object containers (directories)
 - Pairs of id/en/ti/fi/er characters create paths to objects
 - End of path is start of object
 - Early adopter: Hathi Trust for scanned books



cvocum

- You can import a pairtree and, knowing *nothing* about object purpose or structure, can reliably
- Enumerate all objects and their ids
- Produce any object by requested id
- Maintain and back it up with ordinary OS tools
- Rebuild the collection simply by walking the filesystem



Directory-based objects and object parts

- Dflat (digital flat) as residence for a generic digital object, with common amentities, if present, under reserved file names
- ReDD (reverse directory deltas) for simple file-level diffs
- CAN (content access node) for a repository instance
 - A Pairtree with Dflats for leaves and
 - ReDD-tinged versions



Directory typing for humans and machines

- We have lots of directory types to declare
 - ReDD versions
 - Dflat object residences
 - Pairtree roots
 - CAN instances
 - and of course Bagit bags for import/export
- Namaste (NAMe AS TExt) tags are filenames for humans
 - Example filename: "0=dflat 1.1"
 - File content has the non-lossy version for machines



Minimalism: ANVL and Dublin Core Kernel

A Name Value Language (ANVL) - back to basics

- An ANVL record is a sequence of elements in email header format:
 - \Rightarrow label, colon, value
- Long values are continued on indented lines
- A blank line ends a record

Based on cross-domain kernel distilled from Dublin Core

- who a responsible person or party
- what a name or other human-oriented identifier
- when a date important in the object's lifecycle
- where a location or a machine-oriented identifier



Extended Namaste "greeting files"

- Other Namaste tags hold Dublin Core Kernel metadata, and greet a visitor who requests a directory listing with
 - 0 = one of {bagit, redd, dflat, pairtree, can, etc.}

```
$ ls 12/34/5

0=dflat_1.8 admin/ splash.txt

1=Twain,_Mark annotations/ v001/

2=Huckleberry.. data/ v002/

3=1898 log/ v003/

4=12345 manifest.txt
```

■ (1, 2, 3, 4) = Kernel elements (who, what, when, where)



Other micro-service tools

- Baglt for opaque content import and export
- Checkm manifest format to support:
 - import, export, fixity, replication, harvesting
- NOID for opaque identifier minting, resolving
- JHOVE2 for object characterization
- XTF for index and search





A possible data protocol: THUMP

The HTTP URL Mapping Protocol (THUMP)

- A set of URL-based conventions for retrieving information and conducting searches
- Can be used for focused retrievals or for broad database searches
- Based on commands put in the query string after '?'

```
http://example.com/?in(books)find(war and peace)show(full)
```



THUMP requests

The HTTP URL Mapping Protocol (THUMP)
Shortest request is a URL ending in `?', as in

http://example.foo.com/object321?

Which is shorthand for the common request:

http://example.foo.com/object321?show(brief)as(anvl/erc)

Naked '?' and '??' are designed to support the known-item query convention from the ARK persistent id scheme



THUMP responses

Responses consist of HTTP response headers, and one or more ANVL records

```
1 C: [opens session]
    C: GET http://ark.cdlib.org/ark:/13030/ft167nb0vq? HTTP/1.1
    C:
    S: HTTP/1.1 200 OK
5 S: Content-Type: text/plain
    S: THUMP-Status: 0.5 200 OK
    S:
    S: erc:
    S: who: Stanton A. Glantz and Edith D. Balbach
10 S: what: Tobacco War: Inside the California Battles
    S: when: 20000510
    S: where: http://ark.cdlib.org/ark:/13030/ft167nb0vq
    S: [closes session]
```



Broad searching in THUMP

General form of broad query

```
Key ? in(DB) find(QUERY) list(RANGE) show(ELEMS) as(FORMAT)
```

Many details to be worked out; watch for


http://www.cdlib.org/inside/diglib/ark/thumpspec.pdf

"DataLab" project extending THUMP for tabular data integration and visualization (Nassib Nassar, RENCI)






Sample Java visualization by ZIP code



Integrating THUMP DataLab extensions



Source: Nassib Nassar



Answer:
XML is not the
solution to
every problem

Representing the quadratic formula

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

In LaTeX:

$$x = \frac{-b \pm (b^2 - 4ac)}{2a}$$

In troff/eqn:

$$x=\{-b +- sqrt\{b sup 2 - 4ac\}\}$$
 over 2a

In OpenOffice:

$$x=\{-b \text{ plusminus sqrt } \{b^2 - 4 \text{ ac}\}\}$$
 over $\{2 \text{ a}\}$
 $x=\{-b +- \text{ sqrt } \{b^2 - 4 \text{ ac}\}\}$ over $2a$

TIFF (Uncompressed) decompress are needed to see this picture.

```
<math mode="display" xmlns="http://www.w3.org/1998/Math/MathML">
  <mrow>
    <mi>x</mi>
    <mo>=</mo>
    <mfrac>
      <mrow>
        <mo form="prefix">&minus;</mo>
        <mi>b</mi>
        <mo>&PlusMinus;</mo>
        <msqrt>
          <msup>
            <mi>b</mi>
            < mn > 2 < /mn >
          </msup>
          <mo>&minus;</mo>
          <mn>4</mn>
          <mo>&InvisibleTimes;</mo>
          <mi>a</mi>
          <mo>&InvisibleTimes;</mo>
          <mi>c</mi>
        </msqrt>
      </mrow>
      <mrow>
        <mn>2</mn>
        <mo>&InvisibleTimes;</mo>
        <mi>a</mi>
      </mrow>
    </mfrac>
  </mrow>
```

In MathML:

Micro-services and curation in DataONE

- We will keep working to apply our micro-services approach to the problems presented by DataONE
- Much depends on community uptake of best-practices via education about early intervention as close to data producers as possible
- Our micro-services are all works-in-progress, the specifications, and some software, are summarized at

http://www.cdlib.org/inside/diglib/

Micro-services eventual roster: Ingest

7. Characterization

Identity

8. Description

Storage

9. Index

Catalog

10. Search

5.

Fixity 11. Annotation

Replication 12. Publication

More details in Stephen Abrams' talk on 1pm Tuesday!





Come join us!
San Francisco
October 5-6, 2009

http://www.cdlib.org/iPres/

Contact Perry Willett for more info: perry.willett@ucop.edu

