

FINAL REPORT

Project Title: Extreme Values of Queues, Point Processes and Stochastic Networks

Grant No.: AFOSR 84-0367

Project Director: Professor Richard F. Serfozo
Industrial and Systems Engineering
Georgia Institute of Technology

November 1986

Extreme Values of Queues, Point Processes and Stochastic Networks

This two-year research grant consisted of several themes. The following is a summary of our results.

1. Compound Poisson Approximations

Our work on this topic just appeared in Serfozo, R.F. (1986). Compound Poisson Approximations for Sums of Random Variables Ann. Probability, October issue.

During the last 20 years, several theorems have been proved on the convergence of sums of independent random variables to compound Poisson variables. Little was known about how close the sums are to being compound Poisson. Examples were published that seemed to indicate that one could not develop compound Poisson approximations that would be as natural as normal or Poisson approximations.

However, we have been able to develop such approximations. We have proved that a sum of dependent random elements is approximately compound Poisson when the variables are rarely nonzero and, given they are nonzero, their conditional distributions are nearly identical. We have given several upper bounds on the total-variation distance between the distribution of such a sum and a compound Poisson distribution. These bounds are analogous to Berry-Esseen bounds for normal approximations. Our results apply to general random elements such as unions of random sets and sums of random measures or point processes. Our results appear to be useful for characterizing high-level exceedances of dependent variables. We hope to pursue this in the near future.

2. Partitions of Point Processes

Our work on this appeared in Serfozo, R.F. (1985). Partitions of Point Processes: Multivariate Poisson Approximations. Stoch. Process Appl. 20, 281-294.

We proved that when a point process is partitioned into certain sparse subprocesses, then the subprocesses are asymptotically multivariate Poisson or compound Poisson. Using results described above, we derived bounds for the total-variation distance between the subprocesses and their limits. We did this for several types of partitioning rules including independent, Markovian and batch assignment of points. Partitions of point processes are omnipresent in flows of parts in manufacturing networks and distribution systems, and flows of data packets in computer networks.

3. Extreme Values of Birth and Death Processes and Queues

Our work on this has been documented in:

Serfozo, R.F. (1987). Extreme Values of Birth and Death Processes and Queues. Stoch. Processes Appl. (to appear).

Serfozo, R.F. (1986). Extreme Values of Queue Lengths in M/G/1 and GI/M/1 Systems. Technical Report.

In these papers, we solve the long-standing problem of characterizing the asymptotic behavior of the maximum values of birth and death processes and queues over large time intervals. When these processes are positive recurrent, the distributions of their maxima do not converge to a non-degenerate distribution, in the usual way under linear normalizations. We show, however, that by varying the process parameters in a certain way as the time interval grows, then these maxima

do indeed have three possible limit distributions. Two of them are classical extreme value distributions and the other one is a new distribution.

Our results on birth and death processes include conditional limit theorems for maxima of transient processes conditioned that they are finite. For the M/G/1 and GI/M/1 queues, the analysis was more complicated since a certain basic distribution was known only indirectly in terms of ratios of integrals of complex valued functions.

4. Stationary and Reversible Processes

Our work on this appeared in Serfozo, R.F. (1986). Heredity of Stationary and Reversible Processes. Adv. Appl. Probability.

The notion of reversibility plays an important role in characterizing the equilibrium behavior of a network of queues. There are a number of processes associated with a queueing network that are important by themselves. Examples are the number of customers in a certain sector of the network and the point processes of customer flows between pairs of nodes. One frequently confronts the problem: Are these related processes stationary, reversible or ergodic when the network process has these properties? In other words, if a process is stationary, reversible or ergodic, then what functionals of the process have these properties. We answer this by identifying a large class of such functionals. In doing so, we generalize a fundamental result for the heredity of stationarity and we provide an efficient characterization of reversibility that can be used for general random elements such as point processes and random sets.

5. Extremal Problems in Stochastic Networks

Our work on this will soon appear in Weiss, G. (1987). Stochastic Bounds on Distributions of Optimal Value Functions With Applications to PERT, Network Flows and Reliability. Operations Research, to appear.

It is generally impossible to obtain tractable expressions for the probability distributions of (1) Critical path lengths in a PERT network, (2) Maximal flows in a network, or (3) Lifetimes of complicated systems. Consequently, it is natural to seek partial information on worse-case bounds of these variables. This can be formulated as a mathematical programming problem. We present an algorithm for solving this problem. The solution can then be used to obtain bounds for general networks.